

MATERIAL SAFETY DATA SHEET FOR

April 2006



Page 1 of 4

PROTECTIMBER®

INTRODUCTION
2006

Date of issue: 3rd April

STATEMENT OF HAZARDOUS NATURE: NOT CLASSIFIED AS A HAZARDOUS SUBSTANCE

COMPANY DETAILS: **Mabon's Timber Protection Australia,**
ACN 061 074 048

STREET ADDRESS: Unit 3 / 20 Meadow Avenue
COOPERS PLAINS Q 4108

TELEPHONE NO: (61) (07) 3274 4622
Fax (61) (07) 3274 4688
Email mabons@mabonstiberprotect.com.au
www. Mabonstiberprotect.com.au

EMERGENCY TELEPHONE NO: FREECALL: 1800 815 477

PRODUCT IDENTIFICATION

Product Name: **Mabon's Protectimber**

Other Names: **Mabon's ProtecTimber Professional**

Product code BPROT/BPTP

APVMA approval N# **54637/1101 and 56892 0303**

UN Number: None allocated

Dangerous Goods Class: Not applicable

Hazchem Code: Not applicable

Subsidiary Risk: Not applicable

Toxic Substances Schedule: Caution Schedule 5

NFPA: (Health: 2) - (Flammability: 0) - (Reactivity: 0)

Packing Group: Not applicable

IMDG: Not applicable

Manufacturer: **Mabon's Timber Protection Australia**

Use: Insecticide, termiticide, fungicide, algaecide, mouldicide and slimeicide for preventative and remedial treatment of timber, brick and other porous masonry finishes.

PHYSICAL DESCRIPTION /PROPERTIES:

Appearance: Clear colourless liquid with a sweet smell.

Form: Liquid

Boiling Point: >100°C

MATERIAL SAFETY DATA SHEET FOR

April 2006



Page 2 of 4

PROTECTIMBER®

| | |
|-----------------------------|-------------------------|
| Melting Point: | <0°C |
| Vapour pressure: | Relatively non-volatile |
| Vapour density: | Not applicable |
| Volatile Component: | Not available |
| Specific gravity: | 1.22 |
| Flash Point: | Not applicable |
| Flammability Limits: | Not applicable |
| Autoignition Temp: | >400°C |
| Solubility in water: | 100% |

INGREDIENTS:

| Chemical Entity | CAS. No. | Proportion |
|----------------------------------|-----------|------------|
| Disodium Octaborate Tetrahydrate | 2280-03-4 | 10-30% |
| Benzalkonium Chloride | 8001-54-5 | <10% |
| Mono Ethylene glycol | 107-21-1 | <60% |
| Water | 7732-18-5 | To 100% |

HEALTH HAZARD INFORMATION:

| | |
|-------------------|--|
| Swallowed: | Harmful if swallowed. May cause nausea, vomiting, diarrhoea and abdominal pain. Central nervous system stimulation followed by depression may occur following ingestion of large quantities. |
| Eye: | Irritating to eyes. |
| Skin: | Harmful in contact with skin. Irritant. Prolonged or repeated exposure may lead to defatting of the skin, which could cause secondary dermatitis. |
| Inhaled: | Irritant. Inhalation of mist may cause headache, nausea and irritation of the throat and respiratory tract. |
| Chronic | Kidney and liver damage may result from chronic exposure. Chronic exposure may cause hair loss, weight loss and diarrhoea. |

FIRST AID:

| | |
|-------------------|---|
| Swallowed: | Never give anything by mouth to an unconscious person. If swallowed, and if more than 15 minutes for a hospital, induce vomiting, preferably using Ipecac syrup APF. If poisoning occurs, contact a doctor or Poisons Information Centre. |
| Eye: | In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or Poisons Information Centre. Ensure eyewash and safety showers are available and ready for use. |

MATERIAL SAFETY DATA SHEET FOR

April 2006



Page 3 of 4

PROTECTIMBER®

Skin: After contact with skin, wash immediately with plenty of warm soapy water. Seek medical assistance if large area involved.

Inhaled: Remove victim to fresh air. Lay patients down and keep warm and rested. If breathing is shallow or has stopped, ensure airway is clear and apply resuscitation. Seek medical assistance.

Advice to Doctor: Treat symptomatically. Early diagnosis and treatment of ingestion is important. Ensure emesis is satisfactory. Test for correct metabolic acidosis and hypocalcaemia. If evidence of renal insufficiency apply rapid and sustained diuresis with the use of hypertonic mannitol. Evaluate renal status and begin haemodialysis if indicated.

PRECAUTIONS FOR USE:

Exposure Standards: **Workplace exposure standards: TWA WES-C**
Mono ethylene glycol 50ppm (127mg/ m³)
Borax 1mg/ m³

Engineering Controls: Good Ventilation required. Local exhaust should be provided if handled in confined areas.

Personal Protection: Wear eye protection in the form of goggles, Nitrile, PVC or rubber gloves, PVC boots and polyester overalls should be worn when manufacturing or handling the concentrated product.
An "organic vapour" respirator should be used during any spraying operations.

Flammability: Not flammable.

STORAGE & HANDLING INFORMATION

| | |
|-----------------------------|---|
| Road Transport: | Not dangerous goods |
| Sea Transport: | Not dangerous goods |
| Storage: | Store in a dry place away from foodstuffs at all times. Store away from sources of heat or ignition. |
| Spills and Disposal: | Wear protective clothing as above. Do not allow into drains or watercourses. Contain spill by absorbing with sand, earth or other absorbent material. Wash down spill area with copious quantities of water. Waste and empty containers must be disposed on it accordance with local government regulations. Dispose of by liaising with a waste disposal company or by disposing at a site approved by relevant |

MATERIAL SAFETY DATA SHEET FOR

April 2006



Page 4 of 4

PROTECTIMBER®

| | |
|--------------------------------|---|
| | local authorities. |
| Disposal of Containers. | 5, 10 litre and 200 litre drums of Mabon's PROTECTIMBER® can be disposed of at collection centres after triple or pressure rinsing the container and air drying ensuring no residue is left inside or outside the container. |
| Reactivity Data: | Stable. Avoid strong acids and oxidising agents. |
| Fire/Explosion Hazard: | Not flammable but will burn in a fire. Use water spray to cool containers threatened by fire. Use alcohol foam, water fog, dry chemical or carbon dioxide to extinguish. |

ADDITIONAL INFORMATION:

TOXICITY DATA:

| | |
|-------------------------------|--|
| Product: | Oral LD50 (rat) - 6216 mg/kg |
| Disodium octaborate | Oral LD50 (rat) - 2000 mg/kg |
| Tetrahydrate: | Oral LD50 (guinea pig) - 5300 mg/kg |
| Benzalkonium chloride: | Oral LD50 (rat) - 240ml/kg Skin LD50 (rat) - 1560 mg/kg Human eye - 50µg SEV |
| Mono ethylene glycol: | Oral LD50 (rat) - 4700 mg/kg Lower lethal dose (human) - 786 mg/kg |
| Environment: | Prevent spillage from entering waterways. |

CONTACT POINTS:

Mabon's Timber Protection Australia Pty Ltd
Mabon's 24 HOUR EMERGENCY NUMBER

Business hours FREECALL 1800 815 477

After Hours: (61 7) 3274 4622

**FIRE OR POLICE
IN AN EMERGENCY, DIAL 000**

**24 hr Emergency No:
Poisons Centre Phone: 13 12 26**